





Win-win and pragmatic-CIC International Trustworthy



Foreword: Brief introduction of mill and grinding technology

- 1. Process selection and design development
- 2. Manufacturing equipment and supporting system
 - 3. Quality control and quality inspection methods
- 4.packaging, transportation multi-function, multi-program,

Customized

- 5. Case
- 6. Service



MILL





MILL STATUS

The mill is a kind of grinding machine, and it has a mixing effect at the same time. Up to now, in some fields, it has a crushing function, which can replace the crushing equipment of a certain link.



Main types of mill











BALL MILL

COLUMN MILL

TUBE MILL

ROD MILL









AUTO MILL

VERTICAL MILL

DMC MILL

OTHERS



An equipment manufacturer and a mineral processing service provider



The predecessor of CITIC IC Luoyang Heavy Machinery Co.,Ltd was Luoyang Mining Machinery Factory, located in Luoyang City, Henan Province, which is known as the "13th dynasty ancient capital". It was built in 1954 and is China's largest mining machinery manufacturing enterprise. The research institute affiliated to the company is the largest comprehensive research and development institution for mining machinery in China, and has the qualification of Grade A mechanical engineering design.

After 64 years of industry accumulation, it has provided a total of 3 million tons of complete technical equipment and technical service products for mining, building materials, metallurgy, power, nonferrous metals, chemical industry, environmental protection and other industrial fields.

The company's products are exported to more than 20 countries and regions in Asia, Africa, Europe, America and Australia.



The concept and attitude of CIC grinding technology



Grinding Technology Concept

Grinding technology is an experimental science, which requires a wealth of experience as an accumulation. Through repeated debugging and verification, our grinding technology development experience is rich, drawing on and absorbing the international advantages of well-known international brands, combined with our own unique thinking and practice, We could have the total understanding and feeling of our users.











The importance of process selection

According to the processing capacity, the diameter and length of the mill can be determined.

According to the nature of the material can determine the form of mill (Ball mill, Rod mill or other)









1 Process Selection

According to the ore sample provided by the customer, the parameters of ore crushing and grinding are measured. Through the simulation of JKSimMet computer software, the best semi-self-mill, self-mill, Ball mill specifications and parameters are settled.

1 strength

Finite element analysis is commonly used to calculate the strength of the mill barrel, end cover, and hollow shaft to determine the optimal structural parameters.

Transmission

According to the power and working conditions, you can choose:

- 1. Single motor gear drive
- 2.Dual motor gear drive

Perform torsional vibration analysis of the transmission system to avoid resonance.

1 Main bearing

According to the mill specifications and load conditions, three types of dynamic and static pressure, static pressure and sliding shoe bearings can be selected, and the corresponding special lubrication station can be configured.

l Auxiliary machine

- 1. Optimization of the structure of the feeding and discharging device (feeding trolley, discharge drum screen)
- 2.Use liner simulation software to study the geometry of liner
- 3. High-strength bolt strength calculation by software Improved reliability and service life.

1 Control

Through PLC control, touch screen display and operation, as well as the measurement and monitoring of temperature, vibration, oil pressure, oil flow, oil film thickness and other parameters, and the use of DCS system, the reliability of operation is improved


1 Supporting

The preferred domestic and foreign well-known supporting suppliers provide the best configuration for the mill.



MILL MAIN BODY STRUCTRUE

- SHELL ASSY.
- (liner, end cover, shell etc.)
- DRIVING SYSTEM
- (girth gear & pinion, pinion, main motor etc)
- LUBRICATE SYSTEM
 (main bearing, girth gear & pinion,
- reducer etc)
- ELECTRIC CONTROL SYSTEM
- BASEMENT








ANALYSIS AND DESIGN OF CORE COMPONENTS

- FEAANSYS、STRAND
- Material simulation softwareJMATPRO
- Casting simulation software
 DEFORM、MAGMA
- Welding simulation software SYSWELD
- Simulation Software-Assembly simulation
 Operation simulation.
 SOLID WORK , JKSIMMET , I-DEAS






ANSYS

merge, and decompose by
meshing, transforming
qualitative difficulties into
quantitative complexity!
In essence, a difficult
problem is transformed into a
superposition of several simple
problems!

Decompose first, then

Purpose: Obtain the overall parameters of a simulated mill



Material simulation software

JMATPRO

Originated from the UK, Simulate the microstructure, composition, process and performance of materials based on computer simulation

Significance: To verify the feasibility of the raw material performance in manufacturing mill



2

Casting simulation software

DEFORM、MAGMA

The process of casting is complicated, Castings are also prone to defects such as shrinkage cavity, shrinkage porosity, sand washing, and insufficient pouring, cold shut. In the traditional foundry industry, process design and casting quality control often rely on experience, the flow state of the molten metal during the casting process and the temperature and stress state during solidification cannot be intuitively expressed.

With the development of computer technology, the application of computer computing technology can simulate the changes in the stress field, temperature field, and flow field during the casting process, as well as the growth and growth of microstructure grains and the visualization of morphology.

The application of numerical simulation technology can reduce laboratory research work, shorten the research cycle, optimize the casting process parameters, and obtain better quality castings.











Welding process simulation software


Welding is a process in which the material(same or different) of the workpiece to be welded is used by heating or pressurizing or both, and with or without filling materials, so that the material of the workpiece can be bonded between atoms to form a permanent connection. Welding is a complex physical-chemical process. It is impractical, costly, and time-consuming to understand and control the welding process based on accumulated process experimental data. With the development of computer technology, computer simulation methods have created favorable conditions for the development of welding science and technology.

The welding thermal process runs through the entire welding process. It can be said that all welding physical and chemical processes occur and develop during the thermal process. The welding thermal process is local, the heating is extremely uneven, and has the characteristics of instantaneity, complexity and instability. The welding field temperature determines the welding stress field and strain field. It is also inseparable from metallurgy, crystallization, and phase change, making it one of the main factors affecting welding quality and productivity. Accurate calculation and measurement of welding thermal process is the prerequisite for welding metallurgical analysis, welding stress and strain analysis and control of the welding process.











Simulation Software

- ·Simulation Assembly
- ·Simulation Operation


SOLIDWORK, JKSIMMET

Simulation assembly: computer simulation assembly of all parts of the mill to verify the parameters

Simulation operation: dynamic display effect to verify the matching degree between parameters and performance of each component in operation state

ENSURE MANUFACTURING QUALITY REDUCE ERROR IMPROVE EFFICIENCY











Excellent Design Capability and Manufacturing Capability

○Word-Class Equipment System ○Main Parts Are Manufactured In the Factory ○World Famous Partner ○ 64 Years History

FORGING EQUIPMENT









◆ 4000T oil press 4000T 油压机

◆ 8400T water press 8400T 水压机

◆ 5m ring rolling mill 5m 轧环机



◆ 80t Vacuum Degassing Furnace





◆ 75t Ladle Refining Furnace



◆ 60t Electric-arc Furnace



◆ 20t Electric-arc Furnace



◆ 5t Electric Furnace



HEAT TREATMENT



◆ 14×8×5.5m Heattreatment Furnace



◆ 9×4×3m Heattreatment Furnace



♦ 5×2×2m Heattreatment Furnace



φ5 ×2.5m Well Heattreatment Furnace



◆ 3X6.3m Heattreatment Furnace



◆ 5X15m Heattreatment Furnace



PROCESSING EQUIPMENT



◆ 8m CNC Vertical Lathe



5m CNC Vertical Lathe



◆ 220 CNC Miller



◆ 9X30m Plane Milling and Boring Machine



◆ 2X10m CNC Horizental Lathe



◆ 6X20m CNC Heavy Horizontal Lathe



PROCESSING EQUIPMENT





◆ 8m Hobbing Machine

♦15m Hobbing Machine



CUTTING AND WELDING EQUIPMENT







◆ CNC Flame Cutting



Submerged Arc Welding













◆ Electric Control System



◆ Lubrication System





◆ Reducer



Main standards for mill design, manufacturing and inspection

1. National Standard

JB/T1406-2002 《球磨机、棒磨机》 JB/T5000.1-1998 《产品检验通用技术 条件》 JB/T5000.2-1998 《火焰切割件通用技术 术条件》 JB/T5000.3-1998 《焊接件通用技术条件》

2. International Standard

3. Company Standard

Q/HM 1016 — 2007

 Q/HM 708 — 2007
 磨机筒体焊接制造及检

 验要求
 Q/HM 973 — 2007
 磨机铸钢件规范

 Q/HM 1014 — 2007
 矿用磨机铸钢斜齿轮技术规范

大型磨机衬板制造规范

数控液压卷板 CNC Hydraulic Plate Rolling 埋弧自动焊(焊缝UT) Submerged-Arc Welding (UT) 重型卧车整体加工 Heavy Horizontal Lathe















Manufacturing process
And quality control points
Cylinder

数控下料切割 CNC Cutting Machining 加工坡口 Groove Machining 整体退火去应力 Stress Annealing of Whole Parts





Manufacturing process
And quality control points
Pinion





Girth Gear Testing



End Cover Testing



Pinion Testing



Liner Testing





Mechanical properties tensile testing machine



Mechanical properties impact testing machine



Direct reading spectrometer



Defectometer



Durometer



End Cover ITP-QAP



KHD 磨机端盖 END COVER

订单号/KHD-PO-No.: 517669 / M15 图号/KHD drawing No.: 308-040-000069 / 308-040-000070

| 789 | 工序 Process | | 特性/检查内容 | 验收标准 | 质量记录 | 检查 inspection test | | | 备注 |
|-----|-------------------------------|---|---|---|---|--------------------|-------|----------|---------|
| No. | | | Inspection Items | Inspection Report | Applicable Standards | 1-CIC | 2-KHD | 3-Client | Remarks |
| | 铸造工艺 Casting Design | 确认合同、图纸 Confirm contract & drawings | 合同及图纸要求 Requirement of contract & drawing | 双方确认 Confirm by two parties | 合同评审记录 Contract assessment record | н | - | - | |
| 1 | | 确认铸造工艺方案 Confirm casting process plan | 工艺合理性 Process rationality | 符合本公司生产条件且 客户认可 Fit with production situation and confirmed by client | 会议纪要 minutes of meeting | н | - | - | |
| 2 | 模型 Wood pattern | | 按模型工艺图纸检验模型尺寸、形状等。 size and shape | 工艺图纸 Process drawing | 木型检验记录 Wooden pattern record | н | - | = | |
| 3 | 造型 Moulding | | 按铸造工艺图纸检检查型腔尺 寸,产品标识代码等 | 工艺图纸 | 砂型检验记录 Sand mold shape record | н | - | - | |
| | 統注 Pouring | 浇注方案 Pouring plan | 与铸造车间沟通 Negotiating with casting workshop | 双方认可 Confirm by two parties | 会签 Singature | н | - | | |
| 4 | | 洗注 pouring | 浇注温度 pouring temperature | 浇注方案 Pouring plan | 浇注记录 Pouring record | н | - | - | |
| | | 取样 sampling | 浇注过程取样 Sampling during the casting | 工艺规程 Process planning | 桶样化学分析报告 | н | R | - | |
| 5 | 清理 cleaning | 常砂 cleaning | 落砂温度 cleaning temperature | 工艺规程 Process planning | _ | н | - | _ | |
| 6 | 正火 Nomalizing | | 温度、时间 Temperature and time | 热处理工艺 HT process | 热处理记录 HT record | н | R | - | |
| 7 | 切冒口 Cutting rizer | | 控制温度、留量 Control the temperature and the allowance | 切冒口工艺 Rizer cutting process | 打点记录 record | н | - | _ | |
| 8 | 回火 tempering | | 温度、时间 Temperature and time | 热处理工艺 HT process | 热处理记录 HT record | н | R | - | |
| 9 | Mechanical Property 机械性能试验 | | 屈服强度,延伸率 Yield stress, elongation | Yield stress≥275MPa elongation≥15% | 机械性能报告 mechanical property report | н | R | - | |






Pinion ITP-QAP



KHD 小齿轮 Forged Pinion

订单号/KHD-PO-No.: 517669 / M15 图号/KHD drawing No.: 308-081-000040

| | 工序 | 特性/检查内容 | 验收标准 | 质量记录 | 检查 inspection test | | | 备注 |
|-----|--|---|--|---|--------------------|-------|----------|--|
| No. | Process | Inspection Items | Inspection Report | Applicable Standards | 1-CIC | 2-KHD | 3-Client | Remarks |
| 1 | 熔炼&钢锭制作 Melting & Fabrication of steel ingot | 钢水化学成分分析 Chemical composition analysis of the liquid steel | 工艺 specification | 化学成分报告 Chemical composition | н | R | - | |
| 2 | 加热锻造 Heated forging | 初步的 UT Primary UT test | 图纸、工艺 drawing, specification | 锻造记录 Forging record | н | _ | | |
| 3 | 粗车 Rough machining | 超声波探伤 UT | LV 413-010 5.4.4 DIN EN 10228-3 II | UT 报告 UT Report | H/N | H/W/R | - | 发 UT 检验通知 给洪堡 for UT Inspection Call to KHD required. |
| 4 | 粗开齿 Rough hobbing | 外观、尺寸检验 Visual and dimensional inspection | 图纸、工艺 drawing, specification | | н | - | | |
| 5 | 热处理 Heat treatment | 淬火&回火 Quenching & Tempering | 图纸、工艺 drawing, specification | 热处理曲线 heat treatment curve | н | R | | |
| 6 | 性能测试 Chemical & Mechanical | 机械性能 Mechanical property, | LV 413-010 5.3.3/5.4.3 | 机械性能 Mechanical property, | H/N | H/W/R | - | 发检验通知给洪 堡 Inspection Call to KHD required. |
| 7 | 半精加工 semi-finishing machining | 超声波探伤、尺寸、硬度 UT, Dimension, hardness | LV 413-010 5.4.4 DIN EN 10228-3 II LV 413-010 5.3.3 | 超声波探伤报告、尺寸报 告、硬度报告 UT Report, Dimension report, hardness report | н | R | | |
| 8 | 半精滚齿 Semi-final hobbing | 尺寸 MT, Dimension | 图纸、工艺 drawing, specification | 磁粉检测报告 MT report | н | R | | |
| 9 | 精加工 finishing machining | 磁粉、尺寸、齿面硬度、粗糙度 MT, dimension test, hardness on teeth surface, roughness | LV 413-010 5.4.5/5.4.6 DIN EN 10228-1 LV 413-010 5.3.3 | 磁粉波探伤报告、尺寸报告、硬度报告、和箱度报告 MT Report, Dimension report, hardness report, roughness report | н | R | | |







Girth Gear ITP-QAP



KHD 磨机齿圈 Mill Girth Gear

订单号/KHD-PO-No.: 517669 / M15 图号/KHD drawing No.: 308-081-000044

| | 工序 Process | | 特性/检查内容 | 验收标准 Inspection Report | 质量记录 | 检查 inspection test | | | 备注 |
|-----|---------------------------------------|---|---|---|---|--------------------|-------|----------|---------|
| No. | | | Inspection Items | | Applicable Standards | 1-CIC | 2-KHD | 3-Client | Remarks |
| | 铸造工艺 Casting Design | 确认合同、图纸 Confirm contract & drawings | 合同及图纸要求 Requirement of contract & drawing | 双方确认 Confirm by two parties | 合同评审记录 Contract assessment record | Н | - | - | |
| 1 | | 确认铸造工艺方案 Confirm casting process plan | 工艺合理性 Process rationality | 符合本公司生产条件且 客户认可 Fit with production situation and confirmed by client | 会议纪要 minutes of meeting | н | - | - | |
| 2 | 模型 Wood pattern | | 按模型工艺图纸检验模型尺寸、 形状等。 size and shape | 工艺图纸 Process drawing | 木型检验记录 Wooden pattern record | Н | - | _ | |
| 3 | 造型 Moulding | | 按铸造工艺图纸检检查型腔尺 寸,产品标识代码等 | 工艺图纸 | 砂型检验记录 Sand mold shape record | Н | - | - | |
| 4 | 浇注 Pouring | 浇注方案 Pouring plan | 与铸造车间沟通 Negotiating with casting workshop | 双方认可 Confirm by two parties | 会签 Singature | Н | - | - | |
| | | 浇注 pouring | 浇注温度 pouring temperature | 浇注方案 Pouring plan | 浇注记录 Pouring record | Н | - | _ | |
| | | 取样 sampling | 浇注过程取样 Sampling during the casting | 工艺规程 Process planning | 桶样化学分析报告 | Н | R | - | |
| 5 | 清理 cleaning | 落砂 cleaning | 落砂温度 cleaning temperature | 工艺规程 Process planning | - | Н | - | - | |
| 6 | 正火 Normalizing | | 温度、时间 Temperature and time | 热处理工艺 HT process | 热处理记录 HT record | Н | R | _ | |
| 7 | 切冒口 Cutting rizer | | 控制温度、留量 Control the temperature and the allowance | 切冒口工艺 Rizer cutting process | 打点记录 record | Н | - | - | |
| 8 | 焊拉筋 Welding stiffener | | - | _ | - | Н | - | - | |
| 9 | 割开,分为半齿圈 Cutting to two half parts | | 划线割开 cutting | 图纸工艺 Drawing | - | н | - | - | |
| 10 | 回火 tempering | | 温度、时间 Temperature and time | 热处理工艺 HT process | 热处理记录 HT record | Н | R | <u>-</u> | |







Liner ITP-QAP



产品质量控制计划(ITP) Product quality inspection test plan

| 项目 Project | QAL | 工令号 Work No. | 工令号 Work No. 1988-011 | | 0 | | |
|------------------|--------------|-------------------|-----------------------|---------|------------|--|--|
| 客户 Client | FFFAustralia | 产品名称 Product Name | Liner | 日期 Date | 2019-09-10 | | |
| 制造商 manufacturer | CIC. China | 编制 Prepared By | Shunli Si | 页码 Page | 1/2 | | |

| No. | 工序 Process | | 特性/检查内容 | 验收标准 | 质量记录 | 检査 inspection test | | | 备注 |
|------|-----------------------|--|--|--|--------------------------------------|--------------------|-----------|----|---------|
| 140. | | | Inspection Items Inspection Report | | Applicable Standards | 1-CIC | 2- Client | 3- | Remarks |
| 1 | 铸造工艺 Casting | 确认合同、图纸 Confirm contract & drawings | 合同及图纸要求 Requirement of PO& drawing | 双方确认 Confirm by two parties | 合同评审记录 Contract assessment record | н | - | | |
| · | Design | 确认铸造工艺方案 Confirm casting process plan | 工艺合理性 Process rationality | 符合本公司生产条件 Fit with production situation | 会议纪要 minutes of meeting | Н | - | | |
| 2 | 模型 Wood pattern | | 检验模型尺寸、形状等。 size and shape | 工艺图纸 Process drawing | 木型检验记录 Wooden pattern record | Н | - | | |
| 3 | 造型 Moulding | | 按铸造工艺图纸检查型腔尺寸, 产品标识代码等 | 工艺图纸 Process drawing | 砂型检验记录 Sand mold shape record | Н | - | | |
| | 浇注 Pouring | 浇注 pouring | 浇注温度 pouring temperature | 浇注方案 Pouring plan | 浇注记录 Pouring record | Н | - | | |
| 4 | | nring 取样 sampling | 浇注过程取样 Sampling during the casting | 工艺规程 Process planning | 桶样化学分析报告 Chemical analysis report | н | R | | |
| 5 | 清理 cleaning | 落砂 cleaning | 落砂温度 cleaning temperature | 工艺规程 Process planning | - | Н | - | | |
| 6 | 去除冒口 Remove riser | | 控制温度、留量 Control temperature and allowance | 去胃口工艺 Riser remove process | - | Н | - | | |
| | | | 尺寸检查 Dimension | 图纸 Drawing | - | Н | - | | |
| 7 | 退火 annealing | | 温度、时间 Temperature and time | 热处理工艺 HT process | 热处理记录 HT record | н | - | | |
| 8 | | 调质 | 1.淬火+回火 Q+T | 热处理工艺 Heat treatment process | 热处理记录 HT record | Н | - | | |
| 8 | Quenching + Tempering | | 2.本体硬度 Hardness of base material, | HB350-400 | 硬度检验报告 Hardness report | Н | - | | |

1 / 2CITIC IC Luoyang Heavy Machinery Co.,Ltd. Address: 99 Hengshan Rd, Jianxi, Luoyang, China

Pouring





Moulding



Finished Product Testing Before

Delivery





TESTING BEFORE DELIVERY























O Suitable package for transfer and lifting

O Multiple protection——Assy. Unit











O End Cover









O Girth Gear&Pinion




Multi-function & Customized











O Liner

Case





Φ5.5×8.8m Ball Mill

Case



Φ3.2×4.8m Rod Mill

Φ4.2×13m Shoe-mounted ball mill



Case



7.5X2.8 SAG



CASE



Domestic Case

| SAG Mill | Ф9.75×4.57m | Yunnan Copper Group Pulang copper mine |
|--------------------|---------------|--|
| SAG Mill | Ф9.15×5.03m | Anshan Iron and Steel Group Mining Company |
| SAG Mill | Ф8.5×3.8m | Guangdong Dabaoshan Mining Co., Ltd |
| SAG Mill | Ф8.2×5.4m | Zijinshan Gold Copper Mine of Zijin Mining Group |
| SAG Mill | Ф7×3.5m | Jiangxi Copper Group Yinshan mining (copper mine) |
| SAG Mill | Ф7.5×3.2m | Yunnan Hualian zinc indium Co., Ltd |
| SAG Mill | Φ7.32×4.27m | Baima iron mine of Panzhihua Iron and Steel Group Co., Ltd |
| Overflow Ball Mill | Ф6.5×11 | Beijing Shougang International Engineering Technology Co., Ltd |
| Overflow Ball Mill | Ф6.2×9.5 | Inner Mongolia Gold Mining Co., Ltd |
| Ball Mill | Ф6.2×9.5 | Dongguashan concentrator of Tongling Nonferrous Metals Group Co., Ltd |
| Overflow Ball Mill | Ф5.8×8.3 | Sinosteel Equipment Co., Ltd |
| Ball Mill | Ф5.5×7.5 | Heilongjiang Tongshan Mining Co., Ltd |
| SAG Mill | Ф5.03×5.8m | Guizhou Jinfeng Mining Co., Ltd. (gold) |
| Overflow Ball Mill | Ф4.8×7m | Luoyang Luanchuan Molybdenum Industry Group Co., Ltd |
| Rod Mill | Ф4.6×3.2 | Yunnan Tin Industry Co., Ltd |
| Raw Material Mill | Ф4.6×8.5+3.5m | Jilin Yatai Cement Co., Ltd |
| Overflow Ball Mill | Ф4.27×7.3 | Dulan Jinhui Mining Co., Ltd |
| Cement Ball Mill | Ф4.2×11m | Anhui Conch Group |
| Ball Mill | Ф3.8×5 | Chinalco Zhongzhou Branch |
| Cement Ball Mill | Ф3.6×9 | Yunnan Huakun Engineering Technology Co., Ltd |
| Overflow Ball Mill | Ф3.6×8.5m | Chinalco Great Wall branch |



Abroad Case

| SAG Mill | Ф7.5×2.8m | Russian (gold) mining |
|--------------------|--------------|--|
| Rod Mill | Ф6.3×4.5 | CuDeco Ltd. Rocklands copper mine, Australia |
| Overflow Ball Mill | Ф6.2×9.5 | Laos Ban Houayxai Copper gold project - PanAust |
| Overflow Ball Mill | Ф6.1×12.5 | Brazil Samarco-P4P Iron ore project |
| SAG Mill | Ф5.6×6 | Zelav gold mine in Tajikistan |
| Overflow Ball Mill | Ф5.5×6.5 | Mongolia Erdenet mining company |
| SAG Mill | Ф5.5×3.6m | Russia JSC Priisk Solovievskiy |
| Rod Mill | Ф5.4×8 | Indian company Issa ESSAR iron ore |
| Overflow Ball Mill | Ф5.03×8 | Zambia KCM copper mine |
| SAG Mill | Ф4.9×10.29m | Canada Eldorado mining |
| Ball Mill | Ф4.6×6m | Russia JSC Priisk Solovievskiy |
| Cement Ball Mill | Ф4.6×14m | Italy Colacem Cement group |
| Raw Material Mill | φ4.6×10+3.5m | Hong Kong Jinyun silicon (Shiyan) Co., Ltd |
| Overflow Ball Mill | Ф4.2×8.8m | South Africa Bateman |
| Ball Mill | Ф4.2×6.7 | Saudi Arabia Jabal Sayid - Barrick gold |
| Overflow Ball Mill | Ф4.2×5.32 | Selinsing Gold |
| Overflow Ball Mill | Ф4.2×11 | Japanese Kurimoto |
| Cement Ball Mill | Ф3.8×6m | Denmark Smith Company |
| Grid Ball Mill | Ф3.8×5.8 | Bakoudou/ Magnima |
| Overflow Ball Mill | Ф3.6×6 | Eldorado gold mine, Turkey |
| Overflow Ball Mill | Ф3.25×4.27 | Hierro iron ore in Peru |

Service




On-site Installation



Regular on-site visit

Service



Mineral Product analysis-Environmental protection recycling and utilization





Please Contact Us

Tel: +86 379 6408 6155

Mobile: +86 135 9201 7380

Email: johnson.ji@cichmc.com